Rotadorm Edition care-home

The Rotadorm Care in a new design

Max. **patient weight** 135 kg

Safe **working load** 175 kg

In 3 lengths: **200, 210 and 220 cm**

Direction of rotation possible on both sides

Height adjustment range 40 – 80 cm

With the Rotadorm bed series, the positions of the individual elements of the lying surface can be individually adjusted and programmed to the patient's needs.

Our proven care bed, with stand-up function, has been completely redesigned especially for the care-home sector. The elegant combination of contemporary wood finish and attractive dark grey framework complemented by an optional fabric cover in various colours and patterns, offers you a stylish addition to the functionality of our tried-and-tested stand-up bed. We also offer an option of tailored sheets and pillow cases in a wide range of colours to add a splash of colour and comfort to the mattress supplied with the bed.

Product details

- 85 cm wide lying surface, available in 3 lengths
- Under-bed clearance: 9 cm (height increase possible, please inquire)
- Height, head section, neck section, thigh support, lower leg support and turning mechanism individually electronically adjustable
- 2-section special foam mattress with incontinence cover and decubitus prophylaxis (optional)
- 6-section lying surface with wooden slats
- Patient lifting pole with grab handle (optional)
- Removable hand rails (optional)
- User hand control with 6 functions
- Programming hand control (optional)
- Stable scissor lift system
- Central braking system (optional)

Product images

The product images on this page show the different versions of the care-home stand-up bed. The final product changes visually due to optional equipment (to be found in the “Extra equipment/optional” section), such as an additional table. If you have any questions regarding an order, please do not hesitate to contact us ✉.

Technical data

- Mattress width: 85 cm
- Mattress length: 200 / 210 / 220 cm
- Bed height: 40 – 80 cm
- Max. patient weight: 135 kg
- Safe working load: 175 kg

Extra equipment / optional

- Lying surface dimension: 85 x 200 cm **(SI-011-1)** · 85 x 210 cm **(SI-011-21)** · 85 x 220 cm **(SI-011-22)**
- Turningside: left / right
- **Infrared control**
- **Patient lifting pole with grab handle (NS-024-5)**
  provides secure and stable support to make it easier to sit up
  or change position in bed
- **Grab handle (SI-011.85.307)**
  serves as a positioning aid in the bed, is mounted on the head end of the bed frame
- **Cover for handle receptacle (SI-011.80.725)**
  enables getting out of bed to the side
- **Table (SI-132-0)**
  serves as storage option during sitting posture, mounting on hand rail
  over wire frame, dimensions: 365 x 265 x 10 mm
- **Transport rack (TRANSP-08)**
  to assist with transport, deposit € 300
- **Battery pack with charging circuit (SI-012.85.120)**
  safety equipment for power failure – all electrical functions can thus be returned
  to the initial position even without mains voltage
- **Pillow clips (SI-038-0)**
  only needed for bed sheets in special colours – securing the pillow in position when the headrest is raised to aid comfort and convenience
- **Bed sheet - additional colours**
  see page 8 (pillow clips required)
- **Bedside cabinets (OM-011-B / OM-021-B)**
  bedside cabinets with table top, fixed height or height-adjustable
- **Alternating pressure system**
  SLK III digital – alternating pressure system
- **Mattress**
  Prime-Care / Combi-Care

Extra equipment / optional



Pillow clips
for bed sheets in special colours



Table



Cover for handle receptacle



Battery pack
with charging circuit



Transport rack



Grab handle

Mattresses*

Available mattresses





Description	Prime-Care	Combi-Care
Height	12 cm	15 cm
Pressure ulcer prophylaxis up to grade 2 (preventive)	✓	✓
Material	SoliCore HRC	SoliCore HRC + SensiDense
Volume weight	45 kg/m³	45 kg/m³ + 52 kg/m³
Visco-elastic	×	✓
Patient weight	up to 140 kg	up to 140 kg

Alternating pressure system*

Alternating pressure system for decubitus prophylaxis and therapy

- Static and alternating pressure mode
- CPR function for resuscitation
- Large-cell mattress overlay system
- From low to high risk
- Optical low pressure alarm
- Patient weight: 40 - 195 kg
- Height: 21 cm



* The size of the mattress and the alternating pressure system depends on the length of the respective bed. The right size is selected by the ISKOmed team.

Bedside cabinets*

Bedside cabinet with table top
(Dimensions: 34 x 57 x 88 cm)
(Table top: 59 x 33 cm)

Bedside cabinet with table top (height-adjustable)
(Dimensions: approx. 34 x 68 x 88 cm)
(Table top: 57 x 34 cm)

*The colours of the bedside cabinets are perfectly matched to the Rotadorm Care and Mobil.

Bed sheets in special colours

(Pillow clips required)

White

Ecru

Natural

Taupe

Pebble

Silver

Gold

Apple

Bamboo

Azure

Navy

Burgundy

Mocha

Espresso

Graphite

Black

special beds

Please note that due to technical limitations, the colours of the bed sheets cannot be displayed exactly in the swatches shown here. In addition, the use of different display technologies and your individual display settings can lead to distortions in the colour representation. The names of the colours serve an additional definition of the actual colour.

ISKOmed UK Limited · M +44 (0)7759 448 118
greg.whelan@iskomed.com · www.iskomed.co.uk

ISKO Koch GmbH · Egerländer Str. 28 · 95448 Bayreuth (GER)
Tel +49 921 150845-0 · info@iskomed.de · www.iskomed.de

Product enquiry
Rotadorm Edition care-home

last updated: 29.01.2026